



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

July 1, 2008

Certificate
JUL 08 2008
of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *Automated Sliding User Doors And
Door Mechanisms For A Dispenser*
Application No. 10/671,301; Filed September 24, 2003
Patent No. 7,134,242; Issued November 14, 2006
Our File 043493/263017

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Scott E. Brient
Registration No. 44,561

SEB:mf
Enclosures

LEGAL02/30237318v1

RECEIVED-USPTO
Patent Publication

JUL - 8 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,134,242 B2

Page 1 of 1

APPLICATION NO. : 10/671,301

ISSUE DATE : November 14, 2006

INVENTOR(S) : Fitzgerald

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17,

Line 42 and 59, "tat" should read --that--.

Column 19,

Line 9, "chive" should read --drive--.

Column 20,

Line 3, "use" should read --user--.

Line 63, after "defining" insert "an".

Column 21,

Line 16, "or" should read --of--.

Line 56, "chive" should read --drive--.

Column 22,

Line 66, after "moving" insert "in".

Column 23,

Line 31, after "comprising" insert ":".

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

RECEIVED-USPTO
Patent Publication

JUL - 8 2008